

Tailored modular solutions to meet our client's needs. TRILITY uses the latest technology to design, build, install and operate modular water and wastewater treatment solutions.









TRILITY specifically tailor modular solutions to meet our clients' various water treatment challenges. We do this in partnership with a range of clients covering the utilities, municipal, resources and industrial sectors.

Our modular solutions suit most water applications, which are fabricated and assembled off-site, ensuring a more seamless installation on-site.

We advocate the use of modular solutions to ensure:

- · Installation time on-site is minimised resulting in less on-site workforce management and reduced exposure to safety hazards
- · Relative ease of expansion or turn down of modular facilities as project or community needs change
- · Quality control is enhanced due to controlled assembly and testing in warehouse conditions
- · Reduced schedule risk due to off-site testing and minimised need for civil and structural construction on-site
- TRILITY can offer these solutions through a variety of delivery models including Build Own Operate (BOO), Design Build Operate (DBO), Engineer Procure and Construct (EPC) or "supply and install" formats





Case study

Upgrading a water tank facility with a tailored, automated chloramination unit



A major water utility determined that an extension to their network required a re-chloramination system to top-up the monochloramine disinfectant levels at points where the residuals had decayed below requirements. The tank also required Calgon dosing to deal with the scaling effects induced by dosing ammonia.

In addition to designing, installing and commissioning a complete chloramination system, for which we are renowned, TRILITY also excavated the 742 hectare site and completed the civil works.

TRILITY's highly skilled technicians conducted a site-wide integration into the client's SCADA system including upgrading the communications, pump stations and remote water quality monitoring.

The site supplies water to a local town, so there was no room for error. The team worked to critical time lines to ensure continuity of the water supply to the local community.

The project included:

- Site clearance
- Access road construction
- · Building slabs and trenchwork
- Pipework and manifold installation
- Chloramination dosing facility manufacture
- · Sodium hypochlorite dosing facility
- Chlorine dosing system
- Calgon dosing skid
- Dosing building installation
- Testing and commissioning

This tailored modular solution was designed to meet the client's requirements and was pre-tested in a factory environment to ensure quick and easy installation on-site.



Case study

Design and construction of water treatment plants for rural townships



TasWater made a commitment to accelerate its program to address water quality issues and to systematically remove public health alerts as quickly as possible across a number regional towns and communities.

TRILITY was selected to build modular water treatment plants to ensure safe, clean and reliable water supply to eight regional communities.

The scope of works included the planning, design, construction and commissioning of the water treatment plants to supply treated drinking water to the reticulation system for each of the townships.

TRILITY designed and manufactured the purpose-built, modular plants to suit the specific needs of each of the eight townships.

The key process areas in each treatment plant consisted of:

- Raw water supply and storage
- Pre-screening of the raw water to remove larger particles
- Ultrafiltration (UF)
- Granular Activated Carbon (GAC) filters
- · Calcite for pH adjustment
- Ultraviolet treatment of the clean water where required
- Treated water storage and supply



Case study

Electrochlorination facilities to disinfect potable and process water supplies



TRILITY was awarded a contract to build, install, test and commission electrochlorination facilities to disinfect both potable and process water supplies at a mine site in Western Australia.

Electrochlorination produces a low-strength sodium hypochlorite solution on-demand for disinfection purposes. Disinfection is a critical component of the client's water quality management plan and is vital to ensuring the safe operation of the drinking water and raw water supplies.

The sodium hypochlorite is produced on-site and requires only salt, water and electrical power. The facilities consist of four electrochlorination (EC) buildings, two brine buildings and four pump skids which were manufactured and factory acceptance tested at the TRILITY workshop, prior to being transported to site. This approach enhances quality control due to the controlled assembly and testing, resulting in less on-site workforce management and reduced exposure to safety hazards.

The electrochlorination process starts with feed water passing through a GAC filter for de-chlorination purposes. Dechlorinated water then passes through a water softening system and softened water is fed into a brine tank where the salt is dissolved to form a saturated brine solution. Next, the brine solution passes through a chiller unit to meet the electrochlorinator's water quality requirements.

The EC building is designed to generate sodium hypochlorite for a maximum of 16 hours per day at a rate of 5kg/hr to batch fill the sodium hypochlorite tanks. The operation of each EC train will alternate after the complete generation and fill of each train's sodium hypochlorite storage tank.

Overall, the scope of works included the structural, architectural, mechanical, electrical, instrumentation control and communication works. All works were completed to the client's company standards, Australian Standards and the Australian Drinking Water Guidelines.



TRILITY has built an impressive track record of building reliable, modular water and wastewater treatment solutions across Australia and New Zealand. We are committed to providing the high standards of service and quality workmanship for which we are renowned.

Australia Western Australia



58 Mile tank chloramination facility

TRILITY manufactured chlorine and ammonia dosing modules, as well as completing the civil site works, installation, commissioning, and project management to upgrade the 58 Mile tank facility.

Tasmania



Adventure Bay Water Treatment Plant Interim Upgrade Project

TRILITY was engaged to design, supply, fabricate, install, test and commission a new disinfection and mixing system to improve monitoring and control of the existing water supply



Allanooka chlorination reconfiguration

TRILITY was contracted to reconfigure a chlorination system with automatic generator power in the event of a power failure. Safe, withdrawable injection quills and chemical barrier protection enhance operator safety.



TasWater Regional Towns Water Supply Program

TRILITY was selected by TasWater to design and construct Work Package One of the TasWater Regional Towns Water Supply Program. Work Package One was the design and construction of water treatment plants and the subsequent operational support for a period of one year for eight of sixteen townships around Tasmania.



Electrochlorination supply of facilities

TRILITY was awarded a contract to build, install, test and commission electrochlorination facilities to disinfect both potable and process water supplies at a mine site. The facilities were manufactured and tested off-site, then transported to site as complete buildings, where they were installed and commissioned.



TasWater Scamander network

TRILITY was engaged to provide a top up chlorination solution in the Scamander reticulation system and assist with maintaining chlorine residual levels across the network



Mine site water treatment

TRILITY was commissioned by one of the largest mineral resource companies in Australia to design, manufacture and commission a multi-stage water treatment system. The system was specifically designed to provide their sites with water that complied with the Australian Drinking Water Guidelines. The water treatment plant was centrally located to distribute the treated water to several remote sites throughout the client's network. Technologies included multimedia and nano filtration, disinfection, chemical dosing and ultraviolet treatment.



Wayatinah remote reservoir chlorine control

Rechlorination at the Wayatinah reservoir was required as part of the Regional Towns Water Supply Program. TRILITY designed a purpose-built sodium hypochlorite modular solution which was used in conjunction with the Hydra-Mix, an in-tank mixing and monitoring device to control the chlorine levels in the reservoir.

Victoria



Ararat Water Treatment Plant

Design and construction of an upgraded fluoride dosing system to comply with the updated Code of Practice for the fluoridation of drinking water supplies.





Airport Water Quality Improvement Project

An Australian airport engaged TRILITY to maintain constant disinfection residual throughout their water supply network. A building was designed to house chloramine and caustic soda dosing equipment, including chemical storage tanks, bunds, chemical dosing skids, analytical equipment and switchboards in two separate chemical rooms.



Mount Zero powdered activated carbon (PAC) dosing system

Improving water taste and odour using powdered activated carbon dosing prior to treatment at Mount Zero Water Treatment Plant.



Agnes Water Desalination Plant Upgrade - Groundwater Ulrafiltration System

TRILITY was contracted to design, construct, install and commission a new ultrafiltration system to treat 0.5MI/d from existing groundwater bores. Gladstone Regional Council wanted to increase the capacity of the Agnes Water water treatment plant to ensure the supply of water continues to meet the demand of the local communities in the long term.



7. Soluble iron removal

TRILITY designed and manufactured a water treatment solution to remove soluble iron within a nursery's raw bore water. The chemical dosing station used pH correction to oxidise the iron out of solution. The on-site testing measured the dissolved iron in the raw bore water to be 55mg/L. After pH correction the levels of dissolved iron decreased to less than 0.03mg/L.



Alligator Creek chlorine dosing system

TRILITY designed, supplied and installed a pre-fabricated, dual room chlorine dosing system complete with internal electrical and plumbing fit out including commissioning, testing, proving and operator training.



New Zealand North Island



Hawke's Bay District Health Board Main Water Supply and Treatment System

TRILITY was engaged to design, build, install and commission a bespoke modular water treatment plant at the Fallen Soldiers' Memorial Hospital in Hastings that is capable of providing 1.3 ML/d of compliant drinking water.

Key



Water treatment



Preventative maintenance



Wastewater treatment



Rotorua wastewater treatment plant poly dosing system

TRILITY designed and built a poly dosing system as part of an upgrade to a sludge dewatering building at a wastewater treatment plant. The solution has helped the operators of the plant achieve reduced sludge handling costs with less operator effort.

Click here for more information on our modular solutions projects

What is expected from TRILITY today?

It is to provide an excellent service provision to our clients now and in the future in a safe, sustainable and environmentally responsible way.

It is to continuously strengthen our commitment to being the 'provider of choice' when it comes to water and wastewater modular solutions.

